

TECHNICAL DATA SHEET

RayFlex[®] 759

STYRENATED ACRYLIC EMULSION

RayFlex 759 is a styrenated acrylic emulsion designed for exterior coatings. This polymer can be used for but not limited to flexible roof coatings, textured finishes and wall mastics. Coatings formulated with this product will have improved tensile strength, elongation properties, low temperature flexibility, water resistance, and dirt pick up resistance.

PROPERTIES

- Elongation and tensile strength
- Water resistance and DPUR
- Shear stable with pigment loading
- Made without APE-containing surfactants

Specifications

Weight Solids	50%
Weight/Gallon	8.60 ± 0.10
pH	7.3 – 7.8

Typical Properties

MFFT	<0°C
Tg	-26°C

Questions? Call EPS Customer Service @ 1-800-654-4242 / Email: info@eps-materials.com

4/13/2023

TECHNICAL SUPPORT: These guidelines are offered to assist the paint formulator in achieving the high performance properties noted and are offered for illustration purposes only; the paint formulator bears sole responsibility for the performance of the final coating product.

SDS: For details on health, safety and handling information, Safety Data Sheets (SDS) are available at www.epscca.com.

The data on this sheet represent typical values. Since application variables are a major factor in product performance, this information should serve only as a general guide. EPS assumes no obligation or liability for use of this information. UNLESS EPS AGREES OTHERWISE IN WRITING, EPS MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR FREEDOM FROM PATENT INFRINGEMENT. EPS WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Your only remedy for any defect in this product is the replacement of the defective product, or a refund of its purchase price, at our option. Unless otherwise agreed in writing, all sales of EPS products are governed by the EPS Terms and Conditions of Sale, available at <https://www.epscca.com/galleries/pdfs/salesterms.pdf>.